

TECHNICAL DATASHEET

Chlorine Taste Odour (CTO) Reduction Carbon Block

Product Description:

The carbon is processed into blocks using a unique binder system and proprietary manufacturing techniques to produce filters with more micro-pores, giving superior adsorption capacity.

Features & Benefits

- High Adsorption rate, Surface area and microporosity
- Low lifetime Drop.
- Extruded technology
- Functional & Customized block as per customer's requirement.

Application:

- Point of Entry (POE) & Point of use (POU)
- Residential
- Industrial



Custom dimensions & Bespoke packaging:

Dimension: OD, ID & length, End caps colour, Sediment wrap, net, O-ring, Gasket, Packaging

Specification	10"	20"
Eco ID Number	ECO-10CTO_10L	ECO-20CTO_10L
Dimension /Length	60X30, 63X30 ,63X37 / 236,241 & (Customized length Available)	60X30, 63X30 ,63X37 / 236,241 & (Customized length Available)
Micron	10µm	10µm
Rated Service Flow (GPM)	1	2
Capacity	3000gal	6000gal
Type of contaminants reduction	Chlorine, Taste, Odour	Chlorine, Taste, Odour
Pressure Drop	0.8 psi @ 1 gpm	0.8 psi @ 1 gpm

